ALPHA ANALYTICAL

ANALYTICAL REPORT

Lab Number:	L2404244
Client:	Randolph-Holbrook Joint Water Board 50 North Franklin St Holbrook, MA 02043
ATTN:	Agnieszka Sadowski
Phone:	(781) 767-1800
Project Name:	STANNEYS
Project Number:	4133002
Report Date:	02/02/24

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0825), DoD (L2474), FL (E87814), IL (200081), IN (C-MA-04), KY (KY98046), LA (85084), ME (MA00030), MD (350), MI (99110) , NJ (MA015), NY (11627), NC (685), OH (CL106), OR (MA-0262), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #525-23-107-88708), USFWS (Permit #206964).

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com

Project Name: STANNEYS
Project Number: 4133002

Lab Number: L2404244
Report Date: 02/02/24

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

ORGANICS

Project Name: STANNEYS
Project Number: 4133002

Lab Number: L2404244
Report Date: 02/02/24

SAMPLE RESULTS

Lab ID: L2404244-01
Client ID: STANNEYS FINISHED
Sample Location: KIOSK

Date Collected: 01/25/24 08:30
Date Received: 01/25/24
Field Prep: Not Specified

Sample Depth:
Matrix: Dw
Analytical Method: 133,537.1
Analytical Date: 01/31/24 04:21
Analyst: LMV

Extraction Method: EPA 537.1
Extraction Date: 01/29/24 23:55

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab						
Perfluorobutanesulfonic Acid (PFBS)	ND		ng/l	2.00	0.627	1
Perfluorohexanoic Acid (PFHxA)	ND		ng/l	2.00	0.627	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	2.00	0.627	1
Perfluoroheptanoic Acid (PFHpA)	ND		ng/l	2.00	0.627	1
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	2.00	0.627	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	2.00	0.627	1
Perfluorooctanoic Acid (PFOA)	ND		ng/l	2.00	0.627	1
Perfluorononanoic Acid (PFNA)	ND		ng/l	2.00	0.627	1
Perfluorooctanesulfonic Acid (PFOS)	ND		ng/l	2.00	0.627	1
Perfluorodecanoic Acid (PFDA)	ND		ng/l	2.00	0.627	1
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	2.00	0.627	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	2.00	0.627	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	2.00	0.627	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	2.00	0.627	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	2.00	0.627	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	2.00	0.627	1
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	2.00	0.627	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	2.00	0.627	1
PFAS, Total (6)	ND		ng/l	2.00	0.627	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	89		70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	82		70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	110		70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	102		70-130

Lab Control Sample Analysis
Batch Quality Control

Project Name: STANNEYS
Project Number: 4133002

Lab Number: L2404244
Report Date: 02/02/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01 Batch: WG1879480-2								
Perfluorobutanesulfonic Acid (PFBS)	85		-		70-130	-		30
Perfluorohexanoic Acid (PFHxA)	84		-		70-130	-		30
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	78		-		70-130	-		30
Perfluoroheptanoic Acid (PFHpA)	97		-		70-130	-		30
Perfluorohexanesulfonic Acid (PFHxS)	86		-		70-130	-		30
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	92		-		70-130	-		30
Perfluorooctanoic Acid (PFOA)	95		-		70-130	-		30
Perfluorononanoic Acid (PFNA)	109		-		70-130	-		30
Perfluorooctanesulfonic Acid (PFOS)	88		-		70-130	-		30
Perfluorodecanoic Acid (PFDA)	109		-		70-130	-		30
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	88		-		70-130	-		30
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	88		-		70-130	-		30
Perfluoroundecanoic Acid (PFUnA)	116		-		70-130	-		30
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	91		-		70-130	-		30
Perfluorododecanoic Acid (PFDoA)	126		-		70-130	-		30
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	90		-		70-130	-		30
Perfluorotridecanoic Acid (PFTrDA)	124		-		70-130	-		30
Perfluorotetradecanoic Acid (PFTA)	130		-		70-130	-		30

Matrix Spike Analysis

Batch Quality Control

Project Name: STANNEYS
Project Number: 4133002

Lab Number: L2404244
Report Date: 02/02/24

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab	Associated sample(s): 01	QC Batch ID: WG1879480-3				QC Sample: L2404240-01			Client ID: MS Sample			
Perfluorobutanesulfonic Acid (PFBS)	ND	33.2	37.8	114		-	-		70-130	-		30
Perfluorohexanoic Acid (PFHxA)	ND	37.4	40.8	109		-	-		70-130	-		30
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid (HFPO-DA)	ND	37.4	35.9	96		-	-		70-130	-		30
Perfluoroheptanoic Acid (PFHpA)	ND	37.4	35.3	94		-	-		70-130	-		30
Perfluorohexanesulfonic Acid (PFHxS)	ND	34.2	38.0	111		-	-		70-130	-		30
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND	35.3	38.9	110		-	-		70-130	-		30
Perfluorooctanoic Acid (PFOA)	ND	37.4	45.9	123		-	-		70-130	-		30
Perfluorononanoic Acid (PFNA)	NDZ	37.4	51.9	**139**	Q	-	-		70-130	-		30
Perfluorooctanesulfonic Acid (PFOS)	ND	34.7	39.7	114		-	-		70-130	-		30
Perfluorodecanoic Acid (PFDA)	NDZ	37.4	50.8	**136**	Q	-	-		70-130	-		30
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND	34.9	40.2	115		-	-		70-130	-		30
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND	37.4	43.2	115		-	-		70-130	-		30
Perfluoroundecanoic Acid (PFUnA)	NDZ	37.4	53.2	**142**	Q	-	-		70-130	-		30
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND	37.4	44.8	120		-	-		70-130	-		30
Perfluorododecanoic Acid (PFDoA)	NDZ	37.4	56.9	**152**	Q	-	-		70-130	-		30
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND	35.3	40.4	114		-	-		70-130	-		30
Perfluorotridecanoic Acid (PFTrDA)	NDZ	37.4	54.8	**146**	Q	-	-		70-130	-		30
Perfluorotetradecanoic Acid (PFTA)	NDZ	37.4	59.2	**158**	Q	-	-		70-130	-		30

Lab Duplicate Analysis
Batch Quality Control

Project Name: STANNEYS
Project Number: 4133002

Lab Number: L2404244
Report Date: 02/02/24

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1879480-4 QC Sample: L2404244-01 Client ID: STANNEYS FINISHED						
Perfluorobutanesulfonic Acid (PFBS)	ND	ND	ng/l	NC		30
Perfluorohexanoic Acid (PFHxA)	ND	ND	ng/l	NC		30
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND	ND	ng/l	NC		30
Perfluoroheptanoic Acid (PFHpA)	ND	ND	ng/l	NC		30
Perfluorohexanesulfonic Acid (PFHxS)	ND	ND	ng/l	NC		30
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND	ND	ng/l	NC		30
Perfluorooctanoic Acid (PFOA)	ND	ND	ng/l	NC		30
Perfluorononanoic Acid (PFNA)	ND	ND	ng/l	NC		30
Perfluorooctanesulfonic Acid (PFOS)	ND	ND	ng/l	NC		30
Perfluorodecanoic Acid (PFDA)	ND	ND	ng/l	NC		30
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND	ND	ng/l	NC		30
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND	ND	ng/l	NC		30
Perfluoroundecanoic Acid (PFUnA)	ND	ND	ng/l	NC		30
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND	ND	ng/l	NC		30
Perfluorododecanoic Acid (PFDoA)	ND	ND	ng/l	NC		30
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND	ND	ng/l	NC		30
Perfluorotridecanoic Acid (PFTrDA)	ND	ND	ng/l	NC		30
Perfluorotetradecanoic Acid (PFTA)	ND	ND	ng/l	NC		30

Project Name: STANNEYS
Project Number: 4133002

Lab Number: L2404244
Report Date: 02/02/24

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2404244-01A	Plastic 250ml Trizma preserved	A	NA		3.2	Y	Absent		A2-MA-537.1(14)
L2404244-01B	Plastic 250ml Trizma preserved	A	NA		3.2	Y	Absent		A2-MA-537.1(14)
L2404244-02A	Plastic 250ml Trizma preserved	A	NA		3.2	Y	Absent		A2-L-EXT-537(14)

*Values in parentheses indicate holding time in days

Project Name: STANNEYS
Project Number: 4133002

Lab Number: L2404244
Report Date: 02/02/24

PFAS PARAMETER SUMMARY

Parameter	Acronym	CAS Number
FLUOROTELOMER CARBOXYLIC ACIDS (FTCAs)		
3-Perfluoroheptyl Propanoic Acid	7:3FTCA	812-70-4
2H,2H,3H,3H-Perfluorooctanoic Acid	5:3FTCA	914637-49-3
3-Perfluoropropyl Propanoic Acid	3:3FTCA	356-02-5

Project Name: STANNEYS **Lab Number:** L2404244

Project Number: 4133002 **Report Date:** 02/02/24

Footnotes

1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA,this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

A - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.

B - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

C - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.

D - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.

E - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.

F - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.

G - The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.

H - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.

I - The lower value for the two columns has been reported due to obvious interference.

J - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers

Project Name: STANNEYS
Project Number: 4133002

Lab Number: L2404244
Report Date: 02/02/24

REFERENCES

133 Determination of Selected Per- and Polyfluorinated Alkyl Substances in Drinking Water by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS). EPA Method 537.1, EPA/600/R-18/352. Version 1.0, November 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.

CHAIN OF CUSTODY

PAGE ____ OF ____

ALPHA ANALYTICAL
WESTBORO, MA TEL: 508-898-9220 FAX: 508-898-9193
MANSFIELD, MA TEL: 508-822-9300 FAX: 508-822-3288

Date Rec'd in Lab: 1/25/24

ALPHA Job #: L2404244

Client Information

Client: Stanneys of Holbrook
Address: 300 union st
Holbrook ma 02343
Phone:
Fax:
Email:

☐ These samples have been previously analyzed by Alpha

Project Information

Project Name: Stanneys
Project Location: Kiosk
Project #: 4133002
Project Manager:
ALPHA Quote #:

Turn-Around Time

☒ Standard ☐ RUSH (only confirmed if pre-approved)
Date Due: Time:

Report Information - Data Deliverables

☐ FAX ☐ EMAIL
☐ ADEx ☐ Add'l Deliverables

Billing Information

☐ Same as Client info PO #:

Regulatory Requirements/Report Limits

State /Fed Program | Criteria

Other Project Specific Requirements/Comments/Detection Limits:
PWS # 4133002
Put on state DEP Form

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	PFAS	Sample Specific Comments	Total # Bottles
2404244-01	Stanneys finished	1-25-24	8:30		JM	X		
-02	Field Blank	1-25-24	11:30		JM	X		

ANALYSIS

SAMPLE HANDLING
Filtration
☐ Done
☐ Not needed
☐ Lab to do
Preservation
☐ Lab to do
(Please specify below)

Container Type
Preservative

Relinquished By:	Date/Time	Received By:	Date/Time
AAL	1-25-24 1726	AAL	1-25-24 1226
	1/25 1930		1/25 1725
			1/25 1930

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

FORM NO: 01-01 (rev. 14-OCT-07)

CHAIN OF CUSTODY

PAGE _____ OF _____

ALPHA ANALYTICAL

WESTBORO, MA
TEL: 508-898-9220
FAX: 508-898-9193

MANSFIELD, MA
TEL: 508-822-9300
FAX: 508-822-3288

Date Rec'd in Lab:

ALPHA Job #:

Client Information

Client: Stanneys of Holbrook

Address: 300 union st
Holbrook ma 02343

Phone:

Fax:

Email:

❑ These samples have been previously analyzed by Alpha

Project Information

Project Name: Stanneys

Project Location: Kiosk

Project #: 4133002

Project Manager:

ALPHA Quote #:

Turn-Around Time

☑ Standard ❑ RUSH *(only confirmed if pre-approved!)*

Date Due: **Time:**

Report Information - Data Deliverables

❑ FAX ❑ EMAIL

❑ ADEx ❑ Add'l Deliverables

Billing Information

❑ Same as Client info PO #:

Regulatory Requirements/Report Limits

State /Fed Program	*Criteria*

Other Project Specific Requirements/Comments/Detection Limits:

PWS # 4133002
Put on state DEP Form

ANALYSIS: PFAS

SAMPLE HANDLING

Filtration _____
❑ Done
❑ Not needed
❑ Lab to do
Preservation
❑ Lab to do
(Please specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	PFAS	Sample Specific Comments	TOTAL # BOTTLES
	Stanneys finished	1-25-24	8:30		JM	X		
	Field Blank	1-25-24	11:20		JM	X		

Container Type

Preservative

Relinquished By:	Date/Time	Received By:	Date/Time
James H	1-25-24	AAL	1-25-24 1826

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

FORM NO: 01-01 (rev 14-OCT-07)